American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1. JANUARY 1991

EDITORIAL REVIEW

Regulation of water and salt transport in collecting duct through calcium-dependent signaling mechanisms
M. D. Breyer F1

Phosphate depletion increases cytosolic calcium of brain synaptosomes
S. G. Massry, S. M. Hajjar, P. Koureta, G. Z. Fadda, and M. Smogorzewski F12

Angiotensin II stimulates ammoniagenesis in canine renal proximal tubule segments
M. C. Chobanian and C. M. Julin F19

Hyposmotic activation of Ca-activated K channels in cultured rabbit kidney proximal tubule cells
K. Kawahara, A. Ogawa, and M. Suzuki F27

Role of endogenous endothelin on renal functions in rats
K. Yamada and S. Yoshida F34

Effects of extra- and intracellular pH on vascular action of arginine vasopressin
K. Okada, P. Tsai, V. A. Briner, C. Caramelo, and R. W. Schrier F39

Mechanisms of rapid desensitization to arginine vasopressin in vascular smooth muscle cells
C. Caramelo, P. Tsai, K. Okada, V. A. Briner, and R. W. Schrier F46

Tubuloglomerular feedback dynamics and renal blood flow autoregulation in rats
N.-H. Holstein-Rathlou, A. J. Wagner, and D. J. Marsh F53

Transfer of Na transport inhibition in proximal tubules from saline volume-expanded to nonexpanded rats
S. Reddy, Á. Z. Györy, T. Boström, and C. Cochineas F69

Single-nephron filtration rate and proximal reabsorption in aging rats
B. Corman and N. Roinel F75

Role of renal nerves on pressure natriuresis in spontaneously hypertensive rats
M. Yoshida and S. Satoh F81

Na^+ transport in isolated rat CCD: effects of bradykinin, ANP, clonidine, and hydrochlorothiazide
A. J. Rouch, L. Chen, S. L. Troutman, and J. A. Schafer F86

Vasopressin is involved in renal effects of high-protein diet: study in homozygous Brattleboro rats
N. Bouby, M.-M. Trinh-Trang-Tan, C. Coutaud, and L. Bankir F96

Basolateral transport pathways for K^+ and Cl^- in rabbit proximal tubule: effects on cell volume
L. Schild, P. S. Aronson, and G. Giebisch F101

Glomerular endothelin receptors during initiation and maintenance of ischemic acute renal failure in rats
B. M. Wilkes, A. R. Pearl, P. F. Mento, M. E. Maita, C. M. Macica, and E. P. Girardi F110

A calcium-permeable stretch-activated cation channel in renal proximal tubule
D. Filipovic and H. Sackin F119

Dietary NaCl modulates Na^+-H^+ antiporter activity in renal cortical apical membrane vesicles
O. W. Moe, A. Tejedor, M. Levi, D. W. Seldin, P. A. Preisig, and R. J. Alpern F130

Myo-inositol and D-glucose transport in rat glomerular and cultured mesangial cells
C. I. Whiteside, J. C. Thompson, and J. Ohayon F138

Role of prostaglandins and endothelium-derived relaxing factor on the renal response to acetylcholine
M. G. Salom, V. Lahera, and J. C. Romero F145

No. 2. FEBRUARY 1991

HOMER SMITH AWARD LECTURE

Introduction F151

Selectivity and direction: plasma membranes in renal transport
R. K. H. Kinne F153

Site and mechanism of action of epidermal growth factor in rabbit cortical collecting duct
S. Muto, H. Furuya, K. Tabei, and Y. Asano F163

Stimulation of renin release by hyperkalemia in the nonfiltering kidney
H. Lin, D. B. Young, and M. J. Smith, Jr. F170

Branched-chain amino acids augment neither albuminuria nor albumin synthesis in nephrotic rats
G. A. Kaysen, H. Al-Bander, V. I. Martin, H. Jones, Jr., and F. N. Hutchison F177

Increased extracellular matrix synthesis and mRNA in mesangial cells grown in high-glucose medium
S. H. Ayo, R. A. Radnik, W. F. Glass II, J. A. Garoni, E. R. Rampt, D. R. Appling, and J. I. Kreisberg F185

Abundance of Na^+-K^+-ATPase mRNA is regulated by glucocorticoid hormones in infant rat kidneys
G. Celsi, A. Nishi, G. Akusjärvi, and A. Aperia F192

Release of acetylcholine from isolated canine renal tissue
C. J. Pirola, A. L. Alvarez, S. Finkielman, and V. E. Nahmod F198

Rat kidney band 3 mRNA modulation in chronic respiratory acidosis
J. C. Teixeira Da Silva, Jr., R. D. Perrone, C. A. Johns, and N. E. Madias F204

Isolated MTAL cells produce an inhibitor of ouabain-sensitive oxygen consumption
L. G. Cantley, R. Fuhro, and P. Silva F210

Kinetics of circulating vasopressin uptake by choroid plexus
B. V. Zlokovic, M. B. Segal, J. G. McComb, S. Hyman, M. H. Weiss, and H. Davson F216

Volume regulatory Cl^- loss after Na^+ pump inhibition in CCT principal cells
K. Strange F225

PKC and P_i deprivation modulate differently the ubiquitous Na-dependent P_i uptake in MDCK cells
B. Escoubet, M.-C. Garestier, G. Cherqui, and C. Amiel F235

Isolation of nephrocalcin from kidney tissue of nine vertebrate species
Y. Nakagawa, C. L. Renz, M. Ahmed, and F. L. Coe F243

Pathophysiology of vascular smooth muscle in renin promoter-T-antigen transgenic mice
C. D. Sigmund, C. A. Jones, H. J. Jacob, J. Ingelfinger, U. Kim, D. Gamble, V. J. Dzau, and K. W. Gross F249

Renal Na-*myo*-inositol cotransporter mRNA expression in *Xenopus* oocytes: regulation by hypertonicity
H. M. Kwon, A. Yamauchi, S. Uchida, R. B. Robey, A. Garcia-Perez, M. B. Burg, and J. S. Handler F258

Permeabilities of rat collecting duct segments to NH_3 and NH_4^+
M. F. Flessner, S. M. Wall, and M. A. Knepper F264

Effects of V_1/V_2-receptor antagonism on renal function and response to vasopressin in conscious dogs
C. E. Rose, Jr., K. Y. Rose, and L. B. Kinter F273

SPECIAL COMMUNICATIONS

Suitability of tritiated inulin for determination of glomerular filtration rate
M. Shalmi, H. E. Lunau, J. S. Petersen, M. Bak, and S. Christensen F283

ANNOUNCEMENTS F290

No. 3. MARCH 1991

EDITORIAL REVIEW

Structure and function of renal glycosphingolipids
J. A. Shayman and N. S. Radin F291

Resistance of ascending vasa recta to transport of water
T. L. Pallone F303

Electrophysiological characterization of upper portion of descending limb of long-looped nephron
K. Yoshitomi and M. Imai F311

Abnormal proximal tubule apical membrane protein composition in X-linked hypophosphatemic mice
D. M. Ford and B. A. Molitoris F317

Sodium transport in salamander proximal tubule at 5.5°C
N. S. Morgunov and D. J. Hirsch F323

Increased renal endothelin production in rats with reduced renal mass
A. Benigni, N. Perico, F. Gaspari, C. Zoja, L. Bellizzi, M. Gabanelli, and G. Remuzzi F331

Inhibitory effect of angiotensin II on renal tubular transport
V. Chatsudthipong and Y. L. Chan F340

A pertussis toxin-sensitive GTP-binding protein couples endothelin to phospholipase C in rat mesangial cells
C. P. Thomas, M. Kester, and M. J. Dunn F347

Lymphatic drainage of the peritoneal cavity in sheep
N. J. Abernethy, W. Chin, J. B. Hay, H. Rodela, D. Oreopoulos, and M. G. Johnston F353

Peptide YY luminal processing and axial heterogeneity of basolateral binding in renal proximal tubules
S. Nielsen, S. P. Sheikh, M. I. Sheikh, and E. I. Christensen F359

Three-dimensional anatomy and renal concentrating mechanism. I. Modeling results
A. S. Wexler, R. E. Kalaba, and D. J. Marsh F368

Three-dimensional anatomy and renal concentrating mechanism. II. Sensitivity results
A. S. Wexler, R. E. Kalaba, and D. J. Marsh F384

Reset tubuloglomerular feedback permits and sustains glomerular hyperfunction after extensive renal ablation
R. Salmond and F. D. Seney, Jr. F395

Role of intracellular calcium in volume regulation by rabbit medullary thick ascending limb cells
C. Montrose-Rafizadeh and W. B. Guggino F402

Relationships between intracellular amino acid levels and protection against injury to isolated proximal tubules
J. M. Weinberg, I. Nissim, N. F. Roeser, J. A. Davis, S. Schultz, and I. Nissim F410

Reversed polarity of Na^+-K^+-ATPase: mislocation to apical plasma membranes in polycystic kidney disease epithelia
P. D. Wilson, A. C. Sherwood, K. Palla, J. Du, R. Watson, and J. T. Norman F420

Carbonic anhydrase in turtle bladder mitochondrial-rich luminal and subluminal cells
C. Fritsche, J. G. Kleinman, J. L. W. Bain, R. R. Heinen, and D. A. Riley F431

Carbonic anhydrase and proton secretion in turtle bladder mitochondrial-rich cells
C. Fritsche, J. G. Kleinman, J. L. W. Bain, R. R. Heinen, and D. A. Riley F443

Effect of Na-channel blockers and lumen Ca on K secretion by rat renal distal tubule
M. D. Okusa, H. Velázquez, and F. S. Wright F459

SPECIAL COMMUNICATIONS

Accelerator mass spectrometry: application to study of aluminum kinetics in the rat
O. Meirav, R. A. L. Sutton, D. Fink, R. Middleton, J. Klein, V. R. Walker, A. Halabe, D. Vetterli, and R. R. Johnson F466

ANNOUNCEMENTS F470

No. 4. APRIL 1991

Effects of AVP and deoxycorticosterone on Na^+ and water transport in the Dahl salt-sensitive rat CCD
C. T. Hawk and J. A. Schafer F471

Transient ischemia or heat stress induces a cytoprotectant protein in rat kidney
A. Emami, J. H. Schwartz, and S. C. Borkan F479

Renin release from isolated juxtaglomerular apparatus depends on macula densa chloride transport
J. N. Lorenz, H. Weihprecht, J. Schnermann, O. Skøtt, and J. P. Briggs F486

Intracellular betaine substitutes for sorbitol in protecting renal medullary cells from hypertonicity
T. Moriyama, A. Garcia-Perez, A. D. Olson, and M. B. Burg F494

Axial heterogeneity of rabbit cortical collecting duct
C. L. Emmons, K. Matsuzaki, J. B. Stokes, and V. L. Schuster F498

Colocalization of H^+-ATPase and band 3 anion exchanger in rabbit collecting duct intercalated cells
V. L. Schuster, G. Fejes-Tóth, A. Naray-Fejes-Tóth, and S. Gluck F506

Cyclosporin inhibits phosphate transport and stimulates alkaline phosphatase activity in renal BBMV
M. Demeule and R. Béliveau F518

Renal effects of prostaglandin inhibition during increases in renal venous pressure
M. J. Fiksen-Olsen and J. C. Romero F525

Ontogeny of renal renin release in spontaneously hypertensive rat and Wistar-Kyoto rat
W. L. Henrich and M. Levi F530

Aldosterone metabolism in combined isolated perfused rat liver and kidney
M. Egfjord, H. Daugaard, and K. Olgaard F536

Charge selectivity in kidney ultrafiltration is associated with glomerular uptake of transport probes
M. Tay, W. D. Comper, and A. K. Singh F549

A novel metalloproteinase present in freshly isolated rat glomeruli
Q. Le, S. Shah, H. Nguyen, S. Cortez, and W. Baricos F555

ANF-mediated renal cGMP generation in congestive heart failure
K. B. Margulies, D. M. Heublein, M. A. Perrella, and J. C. Burnett, Jr. F562

Molecular abnormality of Tamm-Horsfall glycoprotein in calcium oxalate nephrolithiasis
B. Hess, Y. Nakagawa, J. H. Parks, and F. L. Coe F569

Characterization of endothelin 1 receptor and signal transduction mechanisms in rat medullary interstitial cells
B. M. Wilkes, A. S. Ruston, P. Mento, E. Girardi, D. Hart, M. Vander Molen, R. Barnett, and E. P. Nord F579

ANP stimulates phospholipase C in cultured RIMCT cells: roles of protein kinases and G protein
T. Berl, J. Mansour, and I. Teitelbaum F590

Effects of purine derivatives on calcitriol metabolism in rats
C. H. Hsu, S. R. Patel, E. W. Young, and R. Vanholder F596

RAPID COMMUNICATIONS

Renal synthesis of atriopeptin-like protein in physiology and pathophysiology
J. E. Greenwald, P. Needleman, M. R. Wilkins, and G. F. Schreiner F602

LETTERS TO THE EDITOR

Comment on Pco_2 in renal cortex
T. D. DuBose, Jr., A. Bidani, C. R. Caflisch, F. J. Gennari, D. A. Maddox, and W. M. Deen; M. de Mello Aires and G. Malnic F608

No. 5. MAY 1991

Renal adaptation to dietary phosphate deprivation: role of proximal tubule brush-border membrane fluidity
B. S. Levine, K. A. Knibloe, K. Golchini, S. Hashimoto, and I. Kurtz F613

Myo-inositol uptake by rat cultured inner medullary collecting tubule cells: effect of osmolality
J. H. Veis, B. A. Molitoris, I. Teitelbaum, J. A. Mansour, and T. Berl F619

Glomerular B_2-kinin-binding sites in two-kidney, one-clip hypertensive rats
C. Emond, J.-L. Bascands, J. Rakotoarivony, F. Praddaude, G. Bompart, C. Pecher, J.-L. Ader, and J.-P. Girolami F626

Cl-HCO_3 exchange and Na-HCO_3 symport in rabbit outer medullary collecting duct cells
M. Kuwahara, S. Sasaki, and F. Marumo F635

Renal interstitial hydrostatic pressure and PGE_2 in pressure natriuresis
J. M. Gonzalez-Campoy, C. Long, D. Roberts, T. J. Berndt, J. C. Romero, and F. G. Knox F643

Sorbitol permease: an apical membrane transporter in cultured renal papillary epithelial cells
H. Garty, T. J. Furlong, D. E. Ellis, and K. R. Spring F650

Dietary calcium modulates renal BBM angiotensin II binding and Na^+-H^+ antiporter activity in SHR
M. Levi and W. L. Henrich F657

Chronic intrarenal hyperinsulinemia does not cause hypertension
J. E. Hall, M. W. Brands, H. L. Mizelle, C. A. Gaillard, and D. A. Hildebrandt F663

Role of kinins and angiotensin II in the renal hemodynamic response to captopril
D. L. Mattson and R. J. Roman F670

Effects of chronic hyperkalemia on renal production and proximal tubule transport of ammonium in rats
T. D. DuBose, Jr. and D. W. Good F680

Protein-induced modulation of renin secretion is mediated by prostaglandins
S. C. Kapoor and G. G. Krishna F688

Insulin increases Na^+-H^+ exchange activity in proximal tubules from normotensive and hypertensive rats
F. A. Gesek and A. C. Schoolwerth F695

Detection of the Na^+-K^+-ATPase α_3-isoform in multinucleated macrophages
A. Vignery, F. Wang, H.-Y. Qian, E. J. Benz, Jr., and M. Gilmore-Hebert F704

Regulation of osmotic water permeability during differentiation of inner medullary collecting duct
E. Siga and M. F. Horster F710

Extent of glomerular injury in active and resolving lupus nephritis: a theoretical analysis
B. D. Myers, A. Chagnac, H. Golbetz, L. Newton, S. Strober, and R. K. Sibley F717

Glomerular dysfunction in nephrotic humans with minimal changes or focal glomerulosclerosis
A. Guasch, H. Hashimoto, R. K. Sibley, W. M. Deen, and B. D. Myers F728

Distribution of luminal carbonic anhydrase activity along rat inner medullary collecting duct
S. M. Wall, M. F. Flessner, and M. A. Knepper F738

Tubuloglomerular feedback responses to acute contralateral nephrectomy
R. C. Blantz, O. W. Peterson, and S. C. Thomson F749

Vitamin D_3 metabolites increase $[Ca^{2+}]_i$ in rabbit renal proximal straight tubule cells
M. Suzuki, S. Kurihara, Y. Kawaguchi, and O. Sakai F757

RAPID COMMUNICATIONS

11β-Hydroxysteroid dehydrogenase mRNA expression in rat kidney
J. L. W. Yau, A. D. Van Haarst, M.-P. Moisan, S. Fleming, C. R. W. Edwards, and J. R. Seckl F764

No. 6. JUNE 1991

EDITORIAL REVIEW

Ischemia-induced loss of epithelial polarity: potential role of the actin cytoskeleton
B. A. Molitoris F769

Sublethal X-irradiation during acute puromycin nephrosis prevents late renal injury: role of macrophages
J. R. Diamond and I. Pesek-Diamond F779

Hormonal mediators of amino acid-induced glomerular hyperfiltration in humans
L. Wada, B. R. Don, and M. Schambelan F787

Role of mineralocorticoids in adaptation of rabbit cortical collecting duct after loss of renal mass
V. M. Vehaskari and J. Herndon F793

K^+-ATPase-mediated Rb^+ transport in rat collecting tubule: modulation during K^+ deprivation
L. Cheval, C. Barlet-Bas, C. Khadouri, E. Feraille, S. Marsy, and A. Doucet F800

Biochemical and functional characterization of H^+-K^+-ATPase in distal amphibian nephron
G. Planelles, T. Anagnostopoulos, L. Cheval, and A. Doucet F806

Effect of volume expansion on papillary blood flow and sodium excretion
F. J. Fenoy and R. J. Roman F813

Primary response gene expression in renal hypertrophy and hyperplasia: evidence for different growth initiation processes
D. A. Kujubu, J. T. Norman, H. R. Herschman, and L. G. Fine F823

Renal action of progesterone and 18-substituted derivatives
M. E. Rafestin-Oblin, B. Couette, C. Barlet-Bas, L. Cheval, A. Viger, and A. Doucet F828

Mechanisms of inhibition of proximal acidification by PTH
S. Sasaki and F. Marumo F833

Effect of protamine on ion conductance of upper portion of descending limb of long-looped nephron from hamsters
S. Koyama, K. Yoshitomi, and M. Imai F839

Syncytial organization of cultured rat mesangial cells
K. Iijima, L. C. Moore, and M. S. Goligorsky F848

Basolateral ionic permeabilities of macula densa cells
J.-Y. Lapointe, P. D. Bell, A. M. Hurst, and J. Cardinal F856

Volume regulation and intracellular calcium in the rabbit proximal convoluted tubule
J. S. Beck, S. Breton, R. Laprade, and G. Giebisch F861

Kinin and tubuloglomerular feedback in normal and hydronephrotic rats
P. Morsing and A. E. G. Persson F868

Characterization of essential sulfhydryl groups of rat renal Na^+-P_i cotransporter
M. Loghman-Adham F874

Mechanisms of sodium retention in heart failure: relation to the renin-angiotensin-aldosterone system
H. Eiskjær, J. P. Bagger, H. Danielsen, J. D. Jensen, B. Jespersen, K. Thomsen, S. S. Sørensen, and E. B. Pedersen F883

High-NaCl diets increase natriuretic and diuretic responses in salt-resistant but not salt-sensitive SHR
M. S. Mozaffari, S. Jirakulsomchok, Z. H. Shao, and J. M. Wyss F890

Medium-term cyclosporin renal dysfunction and its reversibility in rats
M. Sabbatini, L. De Nicola, F. Uccello, G. Romano, G. Papaccio, V. Esposito, V. Sepe, G. Conte, and G. Fuiano F898

Locally formed dopamine stimulates cAMP accumulation in LLC-Pk_1 cells via a DA_1 dopamine receptor
A. Grenader and D. P. Healy F906

Localization of endothelin-like immunoreactivity in rat kidneys
B. M. Wilkes, M. Susin, P. F. Mento, C. M. Macica, E. P. Girardi, E. Boss, and E. P. Nord F913

Adenosine stimulates phosphate and glucose transport in opossum kidney epithelial cells
R. Coulson, R. A. Johnson, R. A. Olsson, D. R. Cooper, and S. J. Scheinman F921

Muscarinic receptor activation inhibits AVP-induced water flow in rabbit cortical collecting ducts
H. M. Snyder, D. M. Fredin, and M. D. Breyer F929

Desensitization of DA_1 dopamine receptors coupled to adenylyl cyclase in opossum kidney cells
M. D. Bates, M. G. Caron, and J. R. Raymond F937

Tubular sodium handling and tubuloglomerular feedback in experimental diabetes mellitus
C. A. Pollock, J. R. Lawrence, and M. J. Field F946

Subject Index to Volume 29 F953
Author Index to Volume 29 F961